

SERIES | CATALOG

polkaudio[®]

HDMI

⊘dts

Digital Surround

DOLBY

A COMPLETE HOME THEATER SYSTEM THAT CREATES ROOM-FILLING SOUND FROM A SINGLE SPEAKER AND ROOM FILLING BASS WITHOUT A SUBWOOFER.

Better than conventional systems that require precise placement of six or more speakers, the SurroundBar®360° DVD Theater is a complete home entertainment system. It incorporates the enveloping sonic benefits of our SurroundBarSDA® technology and our patented PowerPort® bass venting technology with the convenience of a control console that's a DVD/CD player, amplifier, and an AM/FM radio. The SurroundBar 360°'s sleek, contemporary design and simple, single-cable speaker hookup make it ideal for anyone who wants big, rich surround sound home entertainment without any of the hookup hassles of multiple speakers and wires.

- No complicated set-up. Out of the box and playing movies in minutes.
- Room-filling sound from a single speaker.
- Room-filling bass without a subwoofer.
- Unlike other systems that require specific room size or shape, the SurroundBar 360 speaker can be placed anywhere in any room.
- Polk Digital Logic™ Guarantees the highest level of performance with no complicated setup and calibration.
- Fully featured console with AM/FM tuner and digital inputs for Cable and Satellite TV, Games and MP3 players.
- Built-in high performance DVD player for your DVDs, CDs and MP3s.
- 15' speaker cable with a single plug on each end for the absolute easiest hookup. No more tangled wires to string around a room.

- Easy to install on a wall, thanks to built-in key hole slots.
- 1/4 x 20 threaded inserts allow wall installation with all major brands of TV wall mounts.
- Two sets of Cradle Mounts, high and low, give you more on-shelf positioning options.
- Gloss Black Cabinet matches all TVs.
- Magnetically Shielded, of course, for safe placement on or near TVs.
- Remote Control for complete control of all sources at your fingertips.
- HDMI output with high definition video up-conversion to 1080i from any video input.

SPEAKER DIMENSIONS:

4 1/8" H X 44 1/2" W X 4 7/8" D (10.47CM H X 113.03CM W X 12.38CM D) CONSOLE DIMENSIONS

3 3/16" H X 16 1/2" W X 11 1/2" D (8.1CM H X 41.91CM W X 29.21CM D) OVERALL FREQUENCY RESPONSE: Hz - kHz.

SEE SPECIFICATIONS FOR MORE DETAILED PRODUCT INFORMATION







REMOTE CONTROL




SURROUNDBAR360° DVD THEATER



POWERPORT®

Polk Audio loudspeakers shatter the boundaries of bass response with patented PowerPort bass venting technology. Conventional ports have limitations: air turbulence at the mouth of the port can cause "port noise" and bass output losses of up to 3dB. (A loss of 3dB means that half of your amplifier power is being wasted on turbulence instead of bass!) The distinctive design of the Polk Audio PowerPort gradually slows air exiting the port, vastly reducingturbulence, port noise and energy loss. The result is bass that you will feel as well as hear; bass that reaches out, grabs you by the lapels and shakes you up—for a completely visceral and emotional



CONNECTIVITY

- Side connections:
- S-Video Input
- Composite Video Input
- Audio L/R Inputs
- USB Port
- Headphone Output
- Rear Connections:
- FM Antenna and AM Antenna
- Coaxial Digital Input
- Optical Digital Inputs
- Audio L/R Inputs (Cable/Satellite, AUX1, TV, Record Outputs)
- AUX 1 Video Inputs (Cable/Satellite: Composite and S-Video; AUX1: Composite and S-Video)
- Video Outputs: Composite, S-Video and Component, HDMI Output, Subwoofer Output, Speaker Cable Output




POLK SURROUNDBAR TECHNOLOGY

An exclusive Polk Audio analog technology, SDA Surround has been transformed by our engineers into SDA Surround Digital, an even more powerful surround sound experience. In the mid 1980's and 90's, Polk Audio's legendary SDA speaker systems revolutionized speaker technology. Those speakers are still prized by audio enthusiasts for their huge, enveloping sound stage. These original analog SDA speakers always performed far beyond the capability of conventional speakers. Today SDA Surround Digital uses the power of digital microchips to process the audio.

Our psychoacoustic research has produced a system capable of delivering a surround sound experience that's better than conventional systems requiring the precise placement of six or more speakers. Unlike other systems that attempt to eliminate the need for rear channel speakers, the SurroundBar360° DVD Theater is the only multi-channel single-speaker surround system that works in any room anywhere.

The sleek SurroundBar360° uses four sets of drive units spaced along the bar the same distance apart as your ears. This is a crucial distance, which creates a unique geometry that allows the SurroundBar360°'s drive units to work together the same way that your ears work together to perceive sounds all around you. The resulting surround sound creates a full soundstage regardless of the shape or size of the room.



SURROUND DIGITAL TECHNOLOGY

FEED FORWARD DISTORTION SUPPRESSION TECHNOLOGY

This technology maximizes acoustic output as it reduces audible distortion. Feed Forward is a zero latency system that maximizes dynamic output of the subwoofer system, without relying on slow responding feedback techniques or broad band dynamic compression, which squeeze the life out of the low end. What you hear is quick, precise bass output with minimal audible distortion, even at ground shaking volume levels.



SURROUNDBAR®50

The perfect complement to flat and shallow screen technologies, the Polk Audio SurroundBar50 delivers breathtaking all-enveloping sonic performance without the need for rear speakers. The SurroundBar50's unobtrusive design and colorcoded hookup configuration makes it a welcome addition for anyone who wants the thrilling benefits of surround sound and none of the hassles. More than a cosmetic evolution, the SurroundBar50 also a sonic evolution, with greater max SPL, front and rear SDA speakers and better overall performance from all musical sources. And while the SurroundBar50's delivers enough bass for your listening pleasure, many people will add a subwoofer to create a sound system that produces truly compelling sonic performance.

OVERALL DIMENSIONS:

51" L X 4 1/2" H X 5 1/10" D (129.54CM L X 11.43CM H X 12.95CM D) OVERALL FREQUENCY RESPONSE 60Hz - 23kHz.

SEE SPECIFICATIONS FOR MORE DETAILED PRODUCT INFORMATION.





- Polk Audio's patented SDA Surround Technology, applied to both front and rear channels for a more enveloping sound, delivers a vivid sound field from a single, 51" cabinet; no rear speakers are required.
- Dual front ports for superior clean, low distortion bass.
- Simplified color-coded hookup with all 5 channels going directly from your home theater receiver to the SurroundBar50.
- 15 feet 10-conductor cable is color-coded and clearly marked for easy hookup. No more tangled wires to string around a room.
- Easy to install on a wall thanks to a simple wall-mount bracket.
- Dual cradle mounts, high and low, give you more on-shelf positioning options, including in front of today's flat-panel TVs.
- Wall bracket (included)
- Nine 3 1/2" Dynamic Balance drivers and three 3/4" Dynamic Balance dome tweeters deliver clear, natural mid-range, high frequencies and lifelike imaging.
- Aluminum extruded enclosure eliminates cabinet resonance.
- Anti-diffraction grille and bezel helps create open, spacious imaging.
- Magnetically shielded, of course, for safe placement on or near TVs.





DYNAMIC BALANCE®

Advanced laser imaging technology allowed Polk Audio engineers to see the entire vibrating surface of a driver and tweeter; they could actually see the resonance develop on the speaker cones—resonance that is the root cause loudspeaker distortion (A). Being able to see the resonance develop, they determined the "Dynamic Balance" of high-tech materials, geometry and constrution that effectively tune out the offending resonance (B). Exclusive Dynamic Balance Composite Material Technology delivers sound that's effortlessly clean and clear, even at lifelike volume. See more about Dynamic Balance at www.polkaudio.com/education/technology/php.





SURROUNDBAR®

Polk's patented SDA® Surround Technology means you won't need to install rear speakers. What you hear is a completely immersive sound experience, as if there are multiple speakers all around you. The sleek, unobtrusive design is a welcome addition for anyone who wants all the thrills of surround sound...but none of the hassles. The Polk Audio SurroundBar will complete your high definition TV experience. It's the perfect match for flat-panel and shallow screen TVs. And it works with any surround sound receiver.

The technology behind the SurroundBar is based on Polk's legendary SDA SRT Systems, which one reviewer called "The Ultimate Loudspeaker." SDA Surround Technology makes the speakers disappear by cancelling the acoustic position location information. That information is then replaced by the correct surround sound information of the original recording just as if sounds were actually coming from all around you. Whether it's music or movies you're assured of a great surround sound experience.

OVERALL DIMENSIONS:

42 5/8" L X 4 1/2" H X 5 1/8" D (108.2CM L X 11.18CM H 12.95CM D) OVERALL FREQUENCY RESPONSE: 80Hz - 23kHz

SEE SPECIFICATIONS FOR MORE DETAILED PRODUCT INFORMATION.

- BLACK

TITANIUM

- Polk Audio's patented SDA Surround Technology delivers an immersive surround sound field from a single, 43" enclosure. No rear speakers are required.
- SDA Surround works equally well with all surround sound formats including multi-channel music.
- The SurroundBar works in any room—SDA Surround is not dependent on your room's walls to produce the surround effect.
- Works with any surround sound receiver. All five channels connect directly to the SurroundBar.
- Included 25 feet 10-conductor cable is colorcoded and clearly marked for easy hookup.
- No more tangled wires to string around a room.
- Easy installation thanks to a simple-to-install wall-mount bracket (included).
- A separate cradle mount for placement on top of a TV or on a shelf (included).
- Seven 3 1/2" Dynamic Balance® drivers and three 3/4" Dynamic Balance dome tweeters deliver outstanding performance for music listening and movies.
- Aluminum extruded enclosure reduces cabinet resonance for distortion-free sound.
- Magnetically shielded, of course, for safe placement on or near TVs.



SDA® SURROUND

Polk's patented SDA® Surround technology puts you in the center of the action. Our revolutionary system literally uses the space between your ears to create your own 5-channel surround sound environment from a single front speaker. See more about SDA Surround at www.polkaudio.com/education/technology.php.





SURROUNDBAR LOUDSPEAKERS AND SYSTEMS	SURROUNDBAR360°	SURROUNDBAR50	SURROUNDBAR
Driver Complement	8 - 2 1/2" full range drivers	9 - 3 1/2" mid-bass drivers,	7 - 3 1/2" mid-bass drivers,
		3 - 3/4" Silk Dome Tweeters	3 - 3/4" silk dome tweeters
Overall Frequency Response		80 Hz - 23 kHz	100Hz - 23kHz
Sensitivity (1w/1m)		90dB	89dB
Nominal Impedence		8 Ohms	8 Ohms
Recommended Amplification		20 - 150 Watts / channel	20 - 125 Watts / channel
Bass Technology	PowerPort with Feed Forward	dual front ports	acoustic suspension
Finish	black	satin black with gloss trim or titanium	black or titanium
Product Weight / Shipping Weight	12 lbs / 27 lbs	15 lbs / 21 lbs	25 lbs / 27 lbs
	5.44 kgs / 12.25 kgs	6.8 kgs / 9.5 kgs	11.34 kgs / 12.25 kgs
Console Weight	15 lbs (6.8 kgs)	n/a	n/a
Speaker Dimensions	4 1/4" H x 44 1/2" W x 4 3/4" D	4 1/2" H x 51" W x 5 1/10" D	4 7/16" H x 42 5/8" W x 5 1/8" D
	10.8cm H x 113.03cm W x 12.06 cm D	11.43cm H x 129.54cm W x 12.95 cm D	11.27cm H x 108.27cm W x 13 cm D
Console Dimensions	3 1/4" H x 16 1/2" W x 11 1/2" H	n/a	n/a
	8.25cm H x 41.91cm W x 29.21cm D		

We're fanatics when it comes to providing you useful, accurate information that can help you evaluate our products. But as we all know, we live in an imperfect world. At least some of us do. That's why performance specifications and product dimensions are subject to change without notice. For the most current specifications see our website, www.polkaudio.com/home.

Polk Audio is a Directed Electronics company which trades on NASDAQ under the symbol DEIX. Investor information can be found at http://investor.directed.com.

Polk Audio, Polk, PowerPort, Dynamic Balance, F/X, Atrium, Big Speaker Sound Without The Big Speaker, High Velocity Compression Drive, Acoustic Resonance Control, ARC Port, Casket Basket, I-Sonic, SurroundBar & SDA are registered trademarks of Britannia Investment Corporation used under license by Polk Audio, Incorporated. Polk Audio Designs & miDock are trademarks of Britannia Investment Corporation used under license by Polk Audio, Incorporated.



OLK AUDIO

5601 METRO DRIVE BALTIMORE, MD 21215

WWW.POLKAUDIO.COM

CUSTOMER SERVICE: 800-377-7655 (USA & CANADA) 410-358-3600 (WORLDWIDE)

COPYRIGHT© APRIL 2008 ALL RIGHTS RESERVED.